Uinta **Basin**

How we understand the O&G sector universe

Operators Meeting 9/3/15

Any information presented in this PowerPoint is for demonstrative purposes only and represents information gathered from multiple sources, not exclusively from EPA. It is intended to identify information available as of the date presented, is not a final factual determination, and may be subject to change with additional information.

Outline


- Air Quality metrics
- O&G Production data
- Emissions data
- Tribal Minor Source Registration data
- Data gaps

4th Max 8-hour O3,	ppb (NAAC)S = 75 ppb)								
									ENEFIT		
Year	Dinosaur	Vernal	New Vernal	Redwash	Ouray	Roosevelt	Myton	Whiterocks	Dragon Ro	ad Fruitland	Rangely
2007	63										
2008	66										
2009	63			67	67						
2010	68			98	1000						
2011	90			100	110		111	68		6	5
2012	75	64		67	70	67	7 71	69		72 7	0
2013	113	102		114		104	109	95		82 6	2
2014	64	62		63	79	62	67	64		6	4
							1				
									ENEFIT		
Design Values	Dinosaur	Vernal	New Vernal	Redwash	Ouray	Roosevelt	Myton	Whiterocks	Dragon Ro	ad Fruitland	Rangely
'09-'11	73.7			88.3	100.0						
'10-'12	77.7			88.3	101.0						66.7
'11-'13	92.7			93.7	106.0		97.0	77.3		65.7	77.7
'12-'14	84.0	76.0		81.3	93.7	77.7	82.3	76.0		65.3	74.0
Air Quality Index:		Definition According to									
Green	Good Air (Quality									
Yellow	Moderate	Air Quali	tv								
Orange	Unhealth	y for Sensi	tive Groups A	Air Quality		Millian Comment	1				
Red		y Air Quali				.,		Nonattair			
Purple	8 · · · · · · · · · · · · · · · · · · ·	ealthy Air	AA.T	Ì	1	Ì		Designati	ion	Current 75 p	pb

Air Quality

Nonattainment		Design Value (ppb)
Designation Classification	Current 75 ppb Ozone NAAQS	70 ppb Ozone NAAQS (Estimated)	65 ppb Ozone NAAQS (Estimated)
Marginal	76 - <86	71 - <80	66 - <75
Moderate	86 - <100	80 - <93	75 - <87
Serious	100 - <113	93 - <105	87 - < 98
Severe	113 - <119	105 - <111	98 - <103
Extreme	119 - <175	111 - <163	103 - <152

O&G Production Data




~75% of oil & gas production in Uinta Basin withinexterior boundaries of Uintah & Ouray Indian Reservation

Top 20 O&G Producers

Within the exterior boundaries of U&O	D	
Within Exterior Boundaries U&O Current Operator	Number of Wells (2014)	OIL Produced Barrels (2014)
NEWFIELD PRODUCTION COMPANY	1,409	7,043,408
EP ENERGY E&P COMPANY, LP	261	4,571,164
BILL BARRETT CORPORATION	284	3,151,243
CRESCENT POINT ENERGY US CORP	240	2,752,210
BERRY PETROLEUM COMPANY	578	2,171,577
ULTRA RESOURCES INC	82	1,397,871
PETROGLYPH OPERATING COMPANY INC	229	1,193,947
AXIA ENERGY LLC	43	1,106,170
QEP ENERGY COMPANY	793	1,074,473
KERR-MCGEE CORP.	2,706	1,042,197
LINN OPERATING, LLC	374	984,680
EL PASO CORPORATION	68	856,407
EOG RESOURCES, INC.	1,319	655,458
FINLEY RESOURCES, INC.	85	559,420
DEVON ENERGY CORPORATION	9	204,067
QUINEX ENERGY CORP	17	180,084
CITATION OIL AND GAS CORPORATION	43	125,897
XTO ENERGY, INC.	416	97,486
GASCO PRODUCTION COMPANY	123	74,545
HARVEST (US) HOLDINGS, INC	8	50,859
SUM TOP 20	9,087	29,293,163
Compared to TOTAL 2014 U&O:	9,640	29,499,562
Top 20 acount for	94%	99%
43	Operators accou	nt for remainder

Within exterior boundaries of U&O		
Within Exterior Boundaries U&O	Number of	GAS Produced
Current Operator	Wells (2014)	Mcf (2014)
KERR-MCGEE CORP.	2,706	203,382,460
EOG RESOURCES, INC.	1,319	35,547,477
QEP ENERGY COMPANY	793	24,401,675
BERRY PETROLEUM COMPANY	578	15,826,652
NEWFIELD PRODUCTION COMPANY	1,409	11,888,643
BILL BARRETT CORPORATION	284	11,389,526
XTO ENERGY, INC.	416	10,740,094
EP ENERGY E&P COMPANY, LP	261	8,395,942
GASCO PRODUCTION COMPANY	123	6,759,713
LINN OPERATING, LLC	374	5,740,810
WHITING OIL AND GAS CORPORATION	22	3,664,200
DOMINION EXPLORATION & PROD INC	152	3,402,929
CRESCENT POINT ENERGY US CORP	240	2,854,439
EL PASO CORPORATION	68	2,486,421
PETROGLYPH OPERATING COMPANY INC	229	2,163,362
ULTRA RESOURCES INC	82	1,450,111
AXIA ENERGY LLC	43	1,406,147
ENDURING RESOURCES, LLC	74	1,213,888
WEXPRO COMPANY	64	1,081,372
MILLER, DYER & CO. LLC	4	879,279
SUM TOP 20	9,241	354,675,140
Compared to TOTAL 2014 U&O:	9,640	361,612,254
Top 20 acount for	96%	98%
Л2	Operators accou	nt for remainder



WRAP - Phase III Emission Inventory

UINTA BASIN - WRAP PH.I	II .					-				
			sions (tone);	987)				salona (tona/ye	18(
Description	NOx	HINDOCH I	CO	SOX	PM10	NO x	THE VOC	CO -	\$0x	PMI
Dehry draftor	148	19,470	124	0	11	225	30,665	189	0	17
Preumatic devices	0	14,916	0	0	O	0	25,083	0	O.	(
	0	14,357	0	0	0	0	20,722		0	VIA.011.0001ALEE001AE000
Preumatic pumps	0	8,386	0	0	0	0	14,322	0	0	(
Concentrations	0	6,195	0	0	0	0	21,719	0	0	C
Undernitied Fugilies	•	1,910			American Commission Co	0	3,212	0		Sim, como del de del de la como de manación de la como
Permitted Sources	2,339	1,320	927			3,184	4,355	2,517		48
Personal de la la constante de	ilianissetteeninikeesseessimihtija sianis	954	0	0	0	encess entertainment en en est est entre en est est entre en est est entre en en entre en entre en entre en en entre en en entre en en entre en entre en en entre en	1.391	enalikinike-rulammumm-belikine		annino-seriotoxxxxxirii
Venting - OmoessorStartup	0	825	0	0	C C		1,300		0	
Venting - Complessor Shutdown	0	782	0	0	0	0	1,233	0	0	. (
Addisolut	2,184	674	2,522	1	94	3,053	955	34,750	2	136
Con pressure of the control of the c	2,207	510	2,318		31	3,169	695	4.238		46
	4,779	415	1.804	362	35.4	4.773	362	1,507		236
	0	292	0	0	0	0	460	0	0	Commission of the Commission o
Venting - Initial completions	0	241	0	0	0	0	332	0	0	C
Thuck Loading of Condensate	0	127	0	0	Č.	•	445	0	0	C
erikus (ili kanalainin kanalainin kanalainin kanalainin kanalainin kanalainin kanalainin kanalainin kanalainin Kanalainin kanalainin kanalainin kanalainin kanalainin kanalainin kanalainin kanalainin kanalainin kanalainin k	1,016	58			**************************************	1,671			nvienesteinnulinnus Sovieteen gehalmiteine	132
Mace laneous engines	163	39	59	0	1	199	63	201	Ō	***************************************
Venting - Je completions	0	37	0	dimmi konistrorro-inmonitorio (1806).	0	0	51		0	micronian de la companion de l
Westerson	25.5	24	103	21	21	271	22	91	0	15
Gas Plant Truck Loading	0	3	0	0	0	0	12	0	0	(C
Condensate tank flaming	4	0	3	0	0	2	0	•	•	
Deny of or Ferni									•••••••••••••••••••••••••••••••••••••••	<u> </u>
Malconeen Fang	ricining a construction of the construction of	•					en manuscon en			
Total	13,093	71,546	8,727	396	623	16,547	127,495	44,925	24	631

Western Regional Air Partnership (WRAP) defines the Uinta Basin as wholly including the counties of Carbon, Duchesne, Emery, Grand, Uintah and Wasatch

GHGRP-W - 2013 Data

ill emissioi	ns data is preser	ited in units of metric tons of carbon dioxide e	quivalent using GWPs	from IPCC's AR4 (see FAQs tab)	Total Emissions from O	ishore Oil & Gas Pro	one con by Gas
acility Id	FRSId	Facility Name	Basin	Total reported emissions from	CO2 emissions	Methane (CH4)	Nitrous Oxide
				Onshore Oil & Gas Production	(non-biogenic)	emissions	(N2O) emission
1009282	110002994190	575 Uinta Basin QEP Energy Company	575 - Uinta Basin			389,275	1,
1008167	110055512529	Berry Petroleum Company - Unita Basin 575	575 - Uinta Basin	11171	15,647	95,699	24
1009357	110028136700	Bill Barrett Corporation - Uinta Basin (575)	575 - Uinta Basin	212,379	66,835	145,436	108
1007481	110015761996	ConocoPhillips' Uinta (575)	575 - Uinta Basin		110	70,429	
1003086	110002004964	Crescent Point Energy U.S. Corp - Uinta Basin	(575 - Uinta Basin		4,017	26,170	15
1000354	110034207481	EOG Resources, Inc. 575 Uinta basin	575 - Uinta Basin	562,551	1,513	100	
1009350	110054613539	EP Energy E&P 573 Uinta basin	575 - Uinta Basin		3.333	127,204	4
1008109	110055512271	Gasco Energy Uintah Basin Operations	575 - Uinta Basin	5.10			1
1008407	110055512388	Newheld,575,0 inta	575 - Uinta Basin	196,375	54,642	51,617	77
1009165	110028136700	Uinta Basin - AAPG Province 575	575 - Uinta Basin	40.50	60,028	380,955	7
1008169	110032607089	Uinta Basin Wexpro Company	575 - Uinta Basin	18,550	11	10,535	
1011221	110014428770	Ultra Resources/Uintah Basin	575 - Uirda Basin	41,200	37,665	6.777	11
1009389	110055516015	XTO Energy Inc \$75 Uintah	575 - Uinta Basin	174,221	13,638	160,492	42


EPA's Greenhouse Gas Reporting Program -Subpart W covers the Petroleum and Natural Gas Systems. Defines Uinta Basin as the counties of Carbon, Daggett, Duchesne, Uintah and Wasatch.

Tribal Minor Source Registrations

Operator	# Registrations	PM10	PM25	SO2	NOx	co	VOC
American Gilsonite Company							
Anadarko Uintah Midstream, LLC							
Axia Energy, LLC							
Berry Petroleum Company							
Bill Barrett Corporation							
Crescent Point Energy U.S. Corp							
El Paso Midstream Group, Inc							
Enduring Resources, LLC							
EOG Resources, Inc.							
EP Energy E&P Company, L.P.							
Gasco Energy, Inc							2000
Kerr-McGee Oil and Gas Onshore LP							
Koch Exploration Company							An extended in the second
Mid-America Pipeline Company, LLC				-			
Monarch Natural Gas, LLC							
Newfield Production Company					-		-0.0
QEP Energy Company							
QEP Field Services Company	and the second s	h hillermontal					
Red Leaf Resources, Inc.					-		
Red Rock Gathering Company, LLC	didd didd a control of the control o			No to tomorous and a subblished constraint	and the second s	***************************************	tra-
Rhine Construction			-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				Val./8.000/a
Rosewood Resources, Inc.			**************************************	. 6			annumber on Charach research and debt 6
Ultra Resources, Inc.		······································	Andrea di Andre I			literation with territory in a state of the	is a Philosophia de Malana
US Oil Sands (Utah), Inc.	***************************************						
Ute Energy, LLC							Av-
Whiting Petroleum Company							-2000
XTO Energy, Inc							
Total registrations as of 8/25/201	5 5,216	241	223	161	11,690	10,562	64,278

234 facilities have emission controls on tanks


Tribal Minor Source Registrations, cont'd



Tribal Minor Source Registrations, cont'd

DRAFT

Facility-Wide NOx Emissions vs Number of RegisteredFacilities



11

Tank Data (E&P Tanks & GOR)


Weighted Average VOC lb/bbl =

10.6


	Separator T	Separator P	API Gravity Sales Oil	VOC lb/bbl
Operator 💂	(°F)	(psig)	AVG 💂	AVG 💂
Α	82	57	62.0	6.5
В	160	30-38	40.9	1.0
C	74-75	108-138	52.0	5.9
D	60-99	200-380	51.4	1.1
F	100-168	30-85	39.6	1.3
G	70	64	32.0	0.6
Н	40-157	17-330	50.9	46
	50-157	80-600	50.1	5.4
J	100-108	52-700	47.4	4.2
K	40-80	25-190	44.1	0.3
L	45-90	200-325	63.7	7.2
М	158	40	34.4	1.1
N	N/A	N/A	N/A	N/A
0	64-163	60-70	30.1	0.4
P	80	65	57.0	4.6
Q	N/A	N/A	N/A	1.0
R	48	90	54.6	8.2
S	N/A	N/A	N/A	2.2

Operator identifier was randomly assigned (i.e. not alphabetical, not by production, etc.)

Source: Tribal MS Registrations



Glycol Dehydrators on U&O Reservation



DRAFT

14

Normalized Pressurized Liquid Sample Speciation Profile – (mol %) E&PTANKS

Operator	A	c	D	F	G	н	ı	J	ĸ	L	O	P	R
H2S	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
O2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CO2	0.08	0.19	0.03	0.01	0.17	0.24	0.15	0.05	0.02	0.23	0.14	0.01	0.10
N2	0.01	0.00	0.00	0.01	0.02	0.02	0.00	0.01	0.01	0.00	0.02	0.00	0.01
C1	1.40	6.46	2.32	0.38	3.13	7.06	6.38	2.66	1.16	9.74	2.64	0.15	3.70
C2	1.77	2.21	1.09	0.25	0.70	2.56	2.96	1.73	0.71	6.09	0.60	0.57	1.70
C3	4.82	2.83	1.37	0.43	1.07	4.33	2.99	2.75	1.11	9.14	0.95	2.41	4.39
i-C4	2.82	1.35	0.67	0.22	0.88	2.08	1.00	1.64	0.54	3.61	0.77	1.73	2.26
n-C4	5.97	2.73	1.27	0.59	1.11	4.29	2.48	2.38	1.11	6.86	1.05	3.55	5.12
I-C5	4.31	2.46	1.33	0.44	1.05	3.56	1.46	3.23	1.02	4.13	0.97	4.14	4.08
n-C5	4.19	2.57	1.82	0.93	1.00	3.72	2.27	2.82	1.18	4.33	0.94	3.86	4.51
C6	6.51	3.45	16.77	12.29	1.53	4.73	4.43	3.24	0.31	4.11	4.02	6.51	5.41
C7	17.75	19.21	28.81	16.74	4.43	20.09	12.70	9.01	7.80	16.00	5.85	18.71	18.41
C8	18.64	12.48	12.54	12.50	5.89	8.92	7.84	11.44	15.88	6.07	7.26	19.43	16.39
C9	7.44	8.65	6.06	10.48	4.22	5.97	5.10	5.60	8.53	4.08	5.60	6.84	5.90
C10+	11.61	20.24	5.72	28.75	72,44	20.80	38.71	46.28	50.03	14.97	65.47	15.52	16.99
Benzene	0.56	0.88	2.43	1.56	0.31	0.83	1.02	0.36	0.37	0.57	0.39	1.18	1.34
Toluene	3.28	3.92	6.08	2.74	0.38	2.76	3.25	1.96	3.62	2.57	0.66	5.21	2.57
E-Benzene	0.26	0.39	0.30	0.38	0.05	0.34	0.30	0.19	0.43	0.27	0.07	0.46	0.21
Xylenes	3,41	5.43	3.69	2.29	0.50	3.20	3.37	2.45	5.27	3.31	0.63	4.86	1.51
n-C6	5.17	3.24	7.03	7.97	1.12	3.87	2.89	2.19	0.87	3.35	1.89	4.86	5.36
224Trimethylp	0.00	1.30	0.67	1.03	0.00	0.63	0.69	0.00	0.04	0.54	0.10	0.00	0.00
API Sales Oil	62.0	52.0	51.4	39.6	32.0	50.8	50.1	47.4	44.1	63.7	30.1	57.0	54.6

TOG Condensate Ta	nk Emis:	sion Prof	files: val	ues repo	orted in	weight 9	6			
Species	Α	С	D	Н	ı	J	K	L	Р	R
Methane	6.2997	26.4868	42.5441	13.0250	15.2277	18.8200	41.5324	15.5540	0.7173	12.5141
Ethane	11.2580	18.1956	18.1926	12.6239	24.9393	21.8901	21.2591	17.2700	5.1086	10.7620
Propane	26.8229	19.0308	11.9138	26.0258	31.2682	32.9904	17.4148	34.5372	30.5980	36.3504
Propylene	*	+	*	-	-	*	-	Na.	-	*
Isobutane (or 2-Methylpi	11.6633	7.7761	3.0643	9.8883	5.0718	7.8964	4.3806	9.8265	18.0008	10.1963
N-butane	18.6914	11.8718	4.0404	13.5358	11.7698	9.1849	6.2354	13.2771	22.4188	14.9828
Isopentane (or 2-Methyll	7.4490	4.7392	1.9953	7.4246	3.1223	3.7800	2.6155	3.6517	7.8238	5.0941
N-pentane	5.4619	3.7033	1.9751	5.5026	3.8963	2.4515	2.1749	2.7245	4.9544	4.0176
N-hexane	2.3255	1.3176	2.3995	4.0770	0.7668	0.4988	0.4274	0.5787	1.4481	1.2907
Isomers of pentane		-	-	-	~	*	~	-	~	-
Isomers of hexane	3.6207	1.8203	7.2618	1.2800	1.1982	0.9608	0.1958	0.9225	3.1309	1.6971
Isomers of heptane	3.8975	2.8853	4.5450	4.6626	1.6431	0.8830	1.6757	1.2016	3.4996	2.0047
Isomers of octane	1.5184	1.0730	0.6245	0.5906	0.3199	0.3168	1.1290	0.1425	1.3677	0.5657
Benzene	0.2076	0.2431	0.6298	0.5383	0.2493	0.1042	0.1344	0.0844	0.2276	0.2581
Toluene	0.3921	0.2763	0.5517	0.3972	0.2422	0.1524	0.4307	0.1068	0.3364	0.1565
Ethylbenzene	0.0231	0.0061	0.0040	0.0127	0.0091	-	0.0011	0.0038	0.0161	0.0000
Cumene	-	-	*	~	144	-	-	-	~	-
trimethylbenzene	**	*	-	*	-	**	-	*	-	*
M, O, & p-xylene	0.1384	0.1494	0.0444	0.1057	0.0881	0.0187	0.1602	0.0388	0.1218	0.0549
2,2,4-trimethylpentane	**	0.2	0.0	0.1	0.1	-	0.0	0.0374	0.0	-
C7	*		*	+	+	-	~	+	*	*
C8	*	-	-	w	~	*	~	*	-	-
C9	0.2306	0.2473	0.1583	0.1167	0.0661	0.0508	0.2268	0.0327	0.2078	0.0549
C10+	0.0000	0.0264	0.0081	0.0460	0.0071	0.0010	0.0056	0.0098	0.0201	0.0000
C-5 Cycloparaffins	*	**	*	+	~	*		*	-	-
C-6 Cycloparaffins		~		-	100	lder		-		
C-7 Cycloparaffins	*	**	*	*	~	-		*	-	-
C-8 Cycloparaffins	-	-	w.		+	146	*	*	- No.	*
Unidentified	**	-	-	-		-	-	-	-	-
Total	100.000	100.000	100.000	100.000	100.000	100.000	100.000	100.000	100.000	100.000
Total M,E	17.558	44.682	60.737	25.649	40.167	40.710	62.792	32.824	5.826	23.276
API Gravity Sales Oil	62.0	52.0	51.4	50.7	50.1	47.4	44.1	63.7	57.0	54.6

TOG Oil Tank Emission Profile		ported in w	eight %
Species	F	G	0
Methane	6.6536	38.9561	43.0950
Ethane	5.1882	15.3404	13.0040
Propane	6.8041	17.0285	15.1236
Propylene			
Isobutane (or 2-Methylpropane)	2.5083	8.7806	7.6546
N-butane	5.2310	8.2504	7.3244
Isopentane (or 2-Methylbutane)	2.4480	3.9064	3.2775
N-pentane	3.5651	2.8085	2.3326
N-hexane	13.9475	0.8053	1.1838
Isomers of pentane			
Isomers of hexane	22.2600	1.3730	3.3331
Isomers of heptane	16.9461	1.5205	1.9171
Isomers of octane	5.5348	0.7228	0.8322
Benzene	2.5466	0.1951	0.2032
Toluene	1.7094	0.0775	0.2757
Ethylbenzene	0.0899	0.0050	0.0057
Cumene			
trimethylbenzene			
M, O, & p-xylene	0.6178	0.0325	0.0392
2,2,4-trimethylpentane	1.0701	0.0000	0.0449
C7			
C8			
C9	2.2552	0.1976	0.2850
C10+	0.6241	0.0000	0.0684
C-5 Cycloparaffins			
C-6 Cycloparaffins			
C-7 Cycloparaffins			
C-8 Cycloparaffins			
Unidentified			
Total	100.000	100.000	100.000
Total M,E	11.8418	54.2965	56.0990
API Gravity Sales Oil	39.6	32.0	30.1

← Flash + W/S/B from E&P TANKS

Flash from GOR→

Species H2S 0.00 0.00 0.00 N 1.46 0.64 0.57 CO₂ 0.60 0.12 0.53 C1 30.92 9.45 39.11 C2 18.23 14.34 16.32 C3 23.34 19.62 16.16 i-C4 4.69 5.13 3.57 n-C4 10.70 15.61 8.76 2,2-Dimethylpropane 0.00 0.03 0.05 i-C5 3.41 6.80 3.31 n-C5 4.07 10.72 4.39 0.04 2,2-Dimethylbutane 0.00 0.22 Cyclopentane 0.37 0.00 0.32 2,3-Dimethlybutane 0.00 0.43 0.05 2 Methylpentane 0.00 2.43 1.16 3 Methylpentane 0.00 1.35 0.50 n-Hexane 1.17 5.88 1.75 0.00 0.74 0.53 Methylcyclopentane 0.13 Benzene 0.07 0.36 Cyclohexane 0.00 0.81 0.40 0.00 0.53 0.17 2-Methylhexane 3-Methylhexane 0.00 0.48 0.18 2,2,4-Trimethylpentane 0.00 0.00 0.04 0.53 n-Heptane 0.00 1.73 Methylcyclohexane 0.00 0.67 0.36 Toluene 0.05 0.23 0.10 Other C8's 0.24 0.31 0.41 n-Octane 0.00 0.07 0.20 Ethylbenzene 0.00 0.00 0.00 0.01 0.03 M&P Xylenes 0.02 O-Xylenes 0.00 0.00 0.01 Other C9's 0.05 0.03 0.06 0.01 n-Nonane 0.00 0.01 Other C10's 0.01 0.00 0.02 n-Decane 0.00 0.00 0.01 Undecanes+ 0.00 0.00 0.02 **API Sales Oil** 34.4 40.9

TOG Oil Tank Emission Profiles: values reported in mol%

TOG Glycol Dehydrato	r Profiles:	values re	ported in	weight %)	(A)	N
Species	D	Н	J	К	L	0	Q
Methane	35.1081	70.2166	2.3921	5.1952	4.7237	7.0977	32.4064
Ethane	6.0119	4.6730	0.9287	1.0633	2.9450	2.1288	5.1459
Propane	5.5688	2.2560	1.0283	0.9727	3.9224	5.0649	6.0543
iso-butane	1.8251	1.1025	1.0107	0.4236	1.5972	1.6909	1.5343
n-butane	3.1199	1.0694	0.9905	0.6419	2.9889	5.0614	3.4084
iso-pentane	1.5603	0.7675	1.1281	0.4032	1.6175	2.0513	1.3302
n-pentane	1.5158	0.4858	0.6800	0.3854	1.4671	2.8849	1.8152
n-hexane	1.1044	0.3586	0.8094	1.0153	1.3915	2.3667	0.8794
isomers of pentane	-	-	-	-	**	_	-
isomers of hexane	1.2714	0.6131	1.4415	0.8268	1.4196	2.3253	1.4090
isomers of heptane	2.4693	0.8790	2.8676	2.8166	4.3165	5.6727	0.3634
isomers of octane		-	-	-		-	
C-5 Compounds	- 144-	*	*	*	1864	140	
C-6 Compounds	**	-	*	*	**	*	
C-7 Compounds	-	-	*	*		*	4
C8+	7.9572	2.3245	10.6949	39.8952	16.8508	2.1291	10.5201
Benzene	4.6812	4.4616	35.7903	9.2118	8.7877	18.8657	7.7701
Isomers of propyl benzene	-		160	**	-	-	**
Isomers of butyl benzene	**	, au	-		*	**	**
Toluene	12.0282	5.7070	29.1334	16.1865	22.1154	21.3574	13.2197
Cumene	-	*	-	-	-	-	.
1,2,4-trimethylbenzene	-	**	*	**	~	*	**
Ethyl-Benzene	0.5441	0.1968	0.7627	0.4152	0.7902	1.7069	2.5963
Xylenes	9.3590	3.1154	6.4650	14.1930	15.2746	6.5196	9.6954
224 Trimethylpentane	0.0928	0.0292	0.0644	0.0839	0.1378	0.2763	0.0230
C-5 cycloparaffins	*			-	**	-	*
C-6 cycloparaffins	2.0008	0.6167	1.0848	2.1937	3.9102	5.9079	0.9689
C-7 cycloparaffins	3.7817	1.1273	2.7274	4.0767	5.7438	6.8926	0.8601
Total	100.0000	100.0000	100.0000	100.0000	100.0000	100.0000	100.0000
Total M,E	41.1200	74.8896	3.3209	6.2585	7.6688	9.2265	37.5523

 $\leftarrow \text{from GRI GLYCalc}$

Species	D	E	F	G	Н	J	K	L	M	0	р	Q	R
Methyl alcohol	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Methane	74.3315	80.7657	59.0542	67.6564	79.2213	89.6366	79.4964	75.3122	59.7317	47.5473	76.0519	84.5296	68.6577
Ethane	10.1399	7.7534	12.9509	8.9401	7.9579	4.6836	8.6587	9.8878	14.1182	9.5711	8.1062	5.1428	9.3049
Propane	7.0328	4.2630	9.9904	10.9700	5.6784	1.7871	4.2611	5.7556	14.1391	15.0314	6.7065	4.6372	10.0007
Propylene	-	*	*		in the second	-	**		*	*	-	Jan 1	
iso-butane	1.7900	1.2675	2.3867	2.0815	1.6057	0.9822	1.1672	1.6511	2.5640	3.6825	1.6946	0.9494	2.5416
n-butane	2.5148	1.5897	5.1265	4.3353	2.1045	0.6426	1.3673	2.1854	4.7111	10.7118	2.4062	1.7660	3.7248
iso-pentane	1.1145	0.8668	2.2238	1.5238	1.0186	0.6507	0.7006	1.1311	1.4868	3.7446	1.1757	0.6880	1.5904
n-pentane	0.8948	0.6268	2.5107	1.4378	0.6622	0.2821	0.5311	0.9105	1.3644	3.8191	0.9009	0.7941	1.3519
n-hexane	0.3784	~	1.1031	- The state of the	0.2429	0.1594	0.4837	0.4880	0.4074	0.4903	0.5775	0.2461	0.5828
isomers of pentane	-	-	-	-	~	-	-	-	-	-	-	-	-
isomers of hexane	0.5639	2.8670	1.5314	2.1540	0.4771	0.4071	0.7257	0.7056	0.6105	5.0019	0.7931	0.5317	0.9087
isomers of heptane	0.4139	-	1.2560	0.7824	0.2049	0.2494	0.8110	0.6539	0.3771	0.1274	0.7177	0.0287	0.5148
isomers of octane	-	-	-	-	-	-		*	-	-	-	*	-
C8+	0.1881	-	0.9889	~	0.5270	0.1097	1.1819	0.4330	0.2065	0.0720	0.0082	0.3434	0.1907
Benzene	0.0486		0.2271	0.0203	0.0324	0.1647	0.0610	0.0728	0.0238	0.0167	0.1569	0.0738	0.0397
Toluene	0.0803	*	0.1264	0.0198	0.0229	0.0960	0.0906	0.0864	0.0263	0.0170	0.0385	0.0833	0.0631
Cumene	-	-	-	-	-	-	-	~	-	-	-	~	-
1,2,4-trimethylbenzene	-	-	-	*	-	-	4	-	+	-	+	*	-
Ethyl-Benzene	0.0023	-	0.0129	0.0005	0.0006	0.0019	0.0058	0.0034	0.0030	0.0004	-	0.0097	0.0022
Xylenes	0.0293	-	0.0555	0.0064	0.0100	0.0128	0.0435	0.0430	0.0131	0.0057	-	0.0322	0.0226
224 Trimethylpentane	0.0322	-	-	0.0097	0.0164	0.0145	0.0250	0.0469	0.0450	0.0094	0.0747	0.0085	0.0389
C-5 cycloparaffins	-	-	Ţ	-	*	-	*	-	*	-	-	*	-
C-6 cycloparaffins	0.1816	-	0.2333		0.1065	0.0380	0.1927	0.2318	0.0840	0.1008	0.2854	0.0737	0.1910
C-7 cycloparaffins	0.2631	-	0.2222	0.0622	0.1107	0.0816	0.1964	0.4017	0.0882	0.0507	0.3061	0.0618	0.2737
C-8 cycloparaffins	-	+	+	*	-	-	+	-	+	+	-	+	*
Unidentified	-	-	-	*	*	-	~	-	*	*	-		-
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Total M,E	84.5	88.5	72.0	76.6	87.2	94.3	88.2	85.2	73.8	57.1	84.2	89.7	78.0

Data Gaps – Research shows ...

- Discrepancy between top-down measurements and bottom-up emission inventories
 - In UB, airborne measurements ~8.9% of gas produced to atmosphere compared to GHGRP-W ~ 1.0%
 - In UB, Ozone modeling shows low negative bias for VOCs and methane by factor of 1.8 and 4.8 respectively

Data Gaps – Research shows ...

- Skewed emission distributions, fat tail, "super-emitter"...
 a small number of sources account for a large % of emissions –
 not fixed in time or space
 - Wellpads 86 natural gas wellsites . . . ~5% sites → ~60% of emissions
 - Midstream Compressor Stations 114 CSs... 30% sites → ~80% of emissions
 - Gas Plants 16 gas processing plants . . . 45% sites → ~80% of emissions
 - Transmission Compressor Stations

 45 CSs... 10% sites

 ~ 50% of emissions
 - <u>Abandoned Wells</u> 19 abandoned wells .. 3 of the 19 wells had CH4 flow rates <u>three</u> orders of magnitude larger than the median flow rate
 - Well Liquid Unloading 107 wells with liquid unloadings ...
 - w/o plunger liS; %0% wells → 83% of emissions
 - w/ plunger liS and manual; %0% wells → 65% of emissions
 - w/ plunger liS and automaTc; %0% wells → 7%% of enissions
 - Pneumatic Controllers 377 controllers ... %0% devices → 96% of emissions

DRAFT %1